

Inventory Available		
110 Film	Stock Number	Special Notes
Canon CanoScan 8400/8600/8800/8900/9000/9950 and Mark II	110-C	
Epson V700/750/800/850	110-E	800 & 850 use requires film area guide
Epson Perfection 4990	110-4990	Requires Film Area Guide
Epson Perfection V550/V600	110-550	
Epson Perfection 3170	110-3170	
Epson Perfection 4180	110-4180	
Epson Perfection V100/200/300/330/370 film scanners	110-100	
Epson Stylus RX500/RX600 scanners	110-RX500	
Epson Perfection 2450 Scanner	110-2450	
Epson Perfection 4870 Scanner	110-4870	
Epson Perfection V500 and 4490 Film Scanners	110-500	
Jumbl 22MP & ION PIC2SD Scanners	110-ION	See Note "C"
Plustek Opticfilm film scanners	110-Plustek	See Note "B" for supported models
Reflecta 7200/ProScan 10T/Pacific Image PrimeFilm 7200U	110-Reflecta	Does not require cutting strips
Vupoint film and slide converters/scanners	110-Vupoint	Does not require cutting strips
Nikon Coolscan Scanners	110-Nikon	See Note "A" at bottom
Epson V700/750/800/850 (Cross way holder)	110-E-Cross	Does not require cutting strips
Canon CanoScan 8400... (Cross way holder)	110-C-Cross	Does not require cutting strips
Epson V700/750/800/850 - 2 Strip	110-2-E	\$21.00
Epson V500/V550/V600 - 2 Strip	110-2-550	\$21.00
126 Film	Stock Number	Special Notes
Canon CanoScan 8400/8600/8800/8900/9000/9950 and Mark II	126-C	
Epson V700/750/800/850	126-E	800 & 850 use requires film area guide
Epson Perfection 4990	126-4990	Requires Film Area Guide
Epson Perfection V550/V600	126-550	
Epson Perfection 3170	126-3170	
Epson Perfection 4180	126-4180	
Epson Perfection V100/200/300/330/370 film scanners	126-100	
Epson Stylus RX500/RX600 scanners	126-RX500	

Epson Perfection 2450 Scanner	126-2450	
Epson Perfection 4870 Scanner	126-4870	
Epson Perfection V500 and 4490 Film Scanners	126-500	
Jumbl 22MP & ION PIC2SD Scanners	126-ION	See Note "C"
Plustek Opticfilm film scanners	126-Plustek	See Note "B" for supported models
Reflecta 7200/ProScan 10T/Pacific Image PrimeFilm 7200U	126-Reflecta	Does not require cutting strips
Vupoint film and slide converters/scanners	126-Vupoint	Does not require cutting strips
APS Film		
	Stock Number	Special Notes
Canon CanoScan 8400/8600/8800/8900/9000/9950 and Mark II	APS-C	
Epson V700/750/800/850	APS-E	800 & 850 use requires film area guide
Epson Perfection 4990	APS-4990	Requires Film Area Guide
Epson Perfection V550/V600	APS-550	
Epson Perfection 3170	APS-3170	
Epson Perfection 4180	APS-4180	
Epson Perfection V100/200/300/330/370 film scanners	APS-100	
Epson Stylus RX500/RX600 scanners	APS-RX500	
Epson Perfection 2450 Scanner	APS-2450	
Epson Perfection 4870 Scanner	APS-4870	
Epson Perfection V500 and 4490 Film Scanners	APS-500	
Jumbl 22MP & ION PIC2SD Scanners	APS-ION	See Note "C"
Plustek Opticfilm film scanners	APS-Plustek	See Note "B" for supported models
Reflecta 7200/ProScan 10T/Pacific Image PrimeFilm 7200U	APS-Reflecta	Does not require cutting strips
Vupoint film and slide converters/scanners	APS-Vupoint	Does not require cutting strips
Nikon Coolscan Scanners	APS-Nikon	See Note "A" at bottom
Epson V700/750/800/850 (Cross way holder)	APS-E-Cross	Does not require cutting strips
Canon CanoScan 8400... (Cross way holder)	APS-C-Cross	Does not require cutting strips
127 Film		
	Stock Number	Special Notes
Canon CanoScan 8400/8600/8800/8900/9000/9950 and Mark II	127-C	
Epson V700/750/800/850	127-E	800 & 850 use requires film area guide
Epson Perfection 4990	127-4990	Requires Film Area Guide
Epson Perfection V550/V600	127-550	
Epson Perfection 3170	127-3170	
Epson Perfection 4180	127-4180	

Epson Perfection V100/200/300/330/370 film scanners	127-100	
Epson Stylus RX500/RX600 scanners	127-RX500	
Epson Perfection 2450 Scanner	127-2450	
Epson Perfection 4870 Scanner	127-4870	
Epson Perfection V500 and 4490 Film Scanners	127-500	
35 mm Film (full width) - Allows scanning of sprockets	Stock Number	Special Notes
Canon CanoScan 8400/8600/8800/8900/9000/9950 and Mark II	35-C	
Epson V700/750/800/850	35-E	800 & 850 use requires film area guide
Epson Perfection V550/V600	35-550	
Epson Perfection 3170	35-3170	
Epson Perfection 4180	35-4180	
Epson Perfection V100/200/300/330/370 film scanners	35-100	
Epson Stylus RX500/RX600 scanners	35-RX500	
Epson Perfection 2450 Scanner	35-2450	
Epson Perfection 4870 Scanner	35-4870	
Epson Perfection V500 and 4490 Film Scanners	35-500	
8 mm movie film (Regular or Super 8)	Stock Number	Special Notes
Canon CanoScan 8400/8600/8800/8900/9000/9950 and Mark II	8-C	
Epson V700/750/800/850	8-E	800 & 850 use requires film area guide
Epson Perfection 4990	8-4990	Requires Film Area Guide
Epson Perfection V550/V600	8-550	
Epson Perfection 3170	8-3170	
Epson Perfection 4180	8-4180	
Epson Perfection V100/200/300/330/370 film scanners	8-100	
Epson Stylus RX500/RX600 scanners	8-RX500	
Epson Perfection 2450 Scanner	8-2450	
Epson Perfection 4870 Scanner	8-4870	
Epson Perfection V500 and 4490 Film Scanners	8-500	
Jumbl 22MP & ION PIC2SD Scanners	8-ION	See Note "C"
Plustek Opticfilm film scanners	8-Plustek	See Note "B" for supported models
Reflecta 7200/ProScan 10T/Pacific Image PrimeFilm 7200U	8-Reflecta	Does not require cutting strips
Vupoint film and slide converters/scanners	8-Vupoint	Does not require cutting strips
Nikon Coolscan Scanners	8-Nikon	See Note "A" at bottom

Epson V700/750/800/850 (Cross way holder)	8-E-Cross	Does not require cutting strips
Canon CanoScan 8400... (Cross way holder)	8-C-Cross	Does not require cutting strips
828 Film		
	Stock Number	Special Notes
Canon CanoScan 8400/8600/8800/8900/9000/9950 and Mark II	828-C	
Epson V700/750/800/850	828-E	800 & 850 use requires film area guide
Epson Perfection 4990	828-4990	Requires Film Area Guide
Epson Perfection V550/V600	828-550	
616 Film		
	Stock Number	Special Notes
Canon CanoScan 8400/8600/8800/8900/9000/9950 and Mark II	616-C	
Epson V700/750/800/850	616-E	
Epson Perfection V550/V600	616-550	
Kodak Disc		
	Stock Number	Special Notes
*with noted exceptions, you MUST remove center hub from Disc!		
Canon CanoScan 8400/8600/8800/8900/9000/9950 and Mark II	Disc-C	
Epson V700/750/800/850	Disc-E	Does not require removal of hub
Epson V700/750/800/850 - 3 Disc Holder	Disc-E-3	Does not require removal of hub - \$21.00
Epson Perfection V550/V600	Disc-550	
Epson Perfection V500 and 4490 Film Scanners	Disc-500	
Minox		
	Stock Number	Special Notes
Canon CanoScan 8400/8600/8800/8900/9000/9950 and Mark II	Minox-C	
Epson V700/750/800/850	Minox-E	800 & 850 use requires film area guide
Epson Perfection V550/V600	Minox-550	
Epson Perfection V100/200/300/330/370 film scanners	Minox-100	
Epson Stylus RX500/RX600 scanners	Minox-RX500	
Epson Perfection V500 and 4490 Film Scanners	Minox-500	
Realist 3D Mounted Slides		
	Stock Number	Special Notes
Comes with two trays except V500 model has one tray		

Canon CanoScan 8400/8600/8800/8900/9000/9950 and Mark II	Realist-C	
Epson V700/750/800/850	Realist-E	800 & 850 use requires film area guide
Epson Perfection V550/V600	Realist-550	
Epson Perfection V500 and 4490 Film Scanners	Realist-500	
Bowers/Polaroid/Nikon ES-1 35 mm film adapters		
35 mm film holder/adaptor made for Polaroid/Bowers HD Slide Duplicate	P-35	
Nikon ES-1	Nikon-ES	
35 mm for Nikon Coolscan - FH-3 Replacement	Nikon-35	See Note "A" at bottom
126 Mounted Slides (50 mm mounts only)		
Canon CanoScan 8400/8600/8800/8900/9000/9950 and Mark II	126-Slide-C	
Epson V700/750/800/850	126-Slide-E	800 & 850 use requires film area guide
Epson Perfection V550/V600	126-Slide-550	
110 Mounted Slides (50 mm mounts only)		
Canon CanoScan 8400/8600/8800/8900/9000/9950 and Mark II	110-Slide-C	
Epson V700/750/800/850	110-Slide-E	800 & 850 use requires film area guide
Epson Perfection V550/V600	110-Slide-550	
122 Film		
Epson Perfection V700/V750/800/850	122-E	

Notes:

A: This holder requires use of the MA-20 or MA-21 slide mount adapter. Works with the following Coolscan models: LS-40, LS-50, LS-4000, LS-5000, V ED. These are a unique holder and they don't work like most of my other film holders. Please visit <http://www.negative-solutions.com/assets/coolscan2.pdf> to read up on how they work before ordering.

B: Plustek Opticfilm models: 7200, 7200i, 7200i SE, 7300, 7400, 7500i, 7500i SE, 7500i AI, 7600i SE, 7600i AI, 8100, 8200i SE, and 8200i AI. Strips do not need to be cut.

C: Only works with ION PICS2SD, not ION Film 2 SD Plus. I do have one that will work for the latter. Contact for more info. Users have reported that when using this holder on 126 film, some minor cropping will occur at the bottom and top of your image as the CCD sensor is not wide enough to capture the entire dimensions of 126 film.